Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.






collection made in advance.

ECHNICAL

LAKE STATES FOREST EXPERIMENT STATION FEB



U.S. Signs + marger of my ero sture

Testing Cone Ripeness

A simple method for testing the ripeness of red and white pine cones by means of specific gravity has been described in Technical Note 170. As an aid to the practical application of this test a simple field kit has been devised by means of which the progress of cone ripening can be followed and reasonably accurate plans for

The kit consists of a wooden box divided into 4 compartments and topped with a hinged cover. In each compartment is placed a covered container (quart fruit jars, 1/2 or 1 gallon paint cans, or the like) and an ice pick or ice-cube tongs for removing cones after testing. The containers are filled from left to right with (1) water, (2) linseed oil, (3) a mixture composed of equal parts of linseed oil and kerosene, and (4) kerosene. The kit is used as follows: First, 5 or more cones are collected from a tree and dropped in container 1. Second, if the cones sink, no further test is necessary; if they float, then they are dropped in container 2, and so on. White pine cones which float in container 2 are ripe and no further test is necessary. Red pine cones are not fully ripe until they float in container 4, but reasonably good quality seed can be recovered from cones which float in container 3, and where a large-scale collection program is anticipated, about 10 days can be added to the collection season by beginning at the time the cones float in the linseed oil kerosene mixture.

The following table, which shows the average number of days in which cones will float in a given liquid after they first float in the next heaviest liquid should serve as a guide for making additional tests on planning the beginning of the collection operation:

| dubbatteruningun underenderungsbestellt mit Derbalde unter mehr für derbalde und der mit mehre. | : Ave | rage time | at whic | h cones w | ill floa | t in design | gnated 1 | liquid |
|---|----------|-----------|---------|-----------|---|-------------|----------|---------|
| Species | Water : | | | | Equal parts of : linseed oil and : kerosene : | | | |
| | :Days1/: | Dates2/: | Days 3 | Dates | Days | Dates | Days | Dates |
| Red pine | 0 | 8/10,20 | 18 | 9/1-10 | 6 | 9/10-15 | 10 | 9/17-23 |
| White pine | 0 | 7/25-8/5 | 32 | 8/27-9/6 | 9 | 9/6-12 | 6 | 9/10-15 |

1/Number of days cones will begin to float in designated liquid after they first float in next heaviest liquid (to the left in the kit).

2/These are dates between which floating can be expected to begin in northeastern quarter of lower Michigan. Other localities will doubtless have somewhat different dates.

No. 176

January 1941

Assistance in the preparation of this material was furnished by the personnel of Work Projects Administration, 0.P. 165-1-71-124, Sponsor, University of Minnesota, and 0.P. 101-2-71-28, Sponsor, Lake States Forest Experiment Station.

